

## SUMMARY FOR MARKET AREA: MINNEAPOLIS-ST. PAUL WI

Total Access Lines in: MINNEAPOLIS-ST. PAUL Total = 39070

Percentage Availability of ONA Services By Date for MINNEAPOLIS-ST. PAUL Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrswitch	Call Fwd Bsy Li - Fixed	90.7%	90.8%	90.8%	90.9%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	91.5%	91.6%	91.7%	91.8%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	90.7%	90.8%	90.8%	90.9%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	90.7%	90.8%	90.8%	90.9%
CNS	CFDA Intrswitch	Cl Fwd-No Ans-Fixed	83.2%	83.1%	83.1%	83.1%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	91.5%	91.6%	91.7%	91.8%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	83.2%	83.1%	83.1%	83.1%
CNS	CF - Variable	Variable Cl Fwd'g	96.5%	96.5%	96.5%	96.6%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	4.9%	4.9%	4.8%	4.8%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	90.7%	90.8%	90.8%	90.9%
CNS	Call Waiting - Cancel	Cancel Call Waiting	91.5%	91.6%	91.7%	91.8%
CNS	Cllg DA Deliv via BCLID	Cllg No.ID Deliv CLASS	90.7%	90.8%	90.8%	90.9%
CNS	Customer Originated Trace	Call Tracing Service	90.7%	90.8%	90.8%	90.9%
CNS	Distinctive Ringing	VIP Alert	90.7%	90.8%	90.8%	90.9%
CNS	Dist Ring Term Screen	Smart Ring	91.5%	91.6%	91.7%	91.8%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	96.5%	96.5%	96.5%	96.6%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	85.0%	85.1%	85.2%	85.3%
CNS	Selective Call Forward'g	Special Call Forwarding	90.7%	90.8%	90.8%	90.9%
CNS	Selective Call Rejection	Call Block	90.7%	90.8%	90.8%	90.9%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	96.5%	96.5%	96.5%	96.6%
CNS		Busy Number Redial	90.7%	90.8%	90.8%	90.9%
CNS		Saved Number Redial	5.7%	5.6%	5.6%	5.6%
CNS		Last Number Redial	90.7%	90.8%	90.8%	90.9%
CNS	Call Waiting	Call Waiting	96.5%	96.5%	96.5%	96.6%
CNS	Three Way Calling	Three Way Calling	96.5%	96.5%	96.5%	96.6%
CNS	Remote Call Forwarding	Remote Call Forwarding	90.7%	90.8%	90.8%	90.9%
CNS		Cll Frwd'g Fixed-All clls	96.5%	96.5%	96.5%	96.6%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.Fixed	91.5%	91.6%	91.7%	91.8%
CNS		Special Call Waiting	90.7%	90.8%	90.8%	90.9%
CNS		Special Call Acceptance	90.7%	90.8%	90.8%	90.9%
CNS		Anonymous Call Rejection	40.8%	40.5%	40.2%	40.0%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	96.5%	96.5%	96.5%	96.6%
CNS		Call Restriction Service	96.5%	96.5%	96.5%	96.6%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	13.2%	13.3%	13.3%	13.3%

## SUMMARY FOR MARKET AREA: MOBILE

AL

Total Access Lines in: MOBILE                      Total                      =                      10635

Percentage Availability of ONA Services By Date for MOBILE                      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	68.4%	68.4%	68.5%	68.6%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	5.5%	5.5%	5.5%	5.5%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	5.5%	5.5%	5.5%	5.5%
BSA	Dedicated Alert Transport	Alarm Signal	44.5%	44.8%	45.0%	45.1%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	100.0%	100.0%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv PG B	Automatic No. ID	100.0%	100.0%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv PG D	Automatic No. ID	100.0%	100.0%	100.0%	100.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Deliv CLASS	0.0%	0.0%	0.0%	0.0%
BSE	CXR Select On Rvse Charg	800 Service	100.0%	100.0%	100.0%	100.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	0.0%	0.0%	0.0%	0.0%
BSE	MWI- Activation Audible	MWI Audible	0.0%	0.0%	0.0%	0.0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100.0%	100.0%	100.0%	100.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100.0%	100.0%	100.0%	100.0%
BSE	MLHG - UCD With Queuing	Queuing	100.0%	100.0%	100.0%	100.0%
BSE	Three Way Call Transfer	User Transfer	100.0%	100.0%	100.0%	100.0%
BSE	Remote Call Forwarding	Foreign Exchange	100.0%	100.0%	100.0%	100.0%
BSE	Route Diversity	Diversity Routing	100.0%	100.0%	100.0%	100.0%
BSE	3rd No. Bllg Inhibited	Bllg No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	100.0%	100.0%	100.0%	100.0%
CNS	Automatic Recall	Automatic Call Return	100.0%	100.0%	100.0%	100.0%

## SUMMARY FOR MARKET AREA: MOBILE

AL

Total Access Lines in: MOBILE                      Total                      =                      10635

Percentage Availability of ONA Services By Date for MOBILE                      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
CNS	CFDA Intrswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	100.0%	100.0%	100.0%	100.0%
CNS	CF - Variable	Variable Cl Fwd'g	100.0%	100.0%	100.0%	100.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	0.0%	0.0%	0.0%	0.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Clbg DA Deliv via BCLID	Clg No.ID Deliv CLASS	0.0%	0.0%	0.0%	0.0%
CNS	Customer Originated Trace	Call Tracing Service	100.0%	100.0%	100.0%	100.0%
CNS	Distinctive Ringing	VIP Alert	100.0%	100.0%	100.0%	100.0%
CNS	Dist Ring Term Screen	Smart Ring	100.0%	100.0%	100.0%	100.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100.0%	100.0%	100.0%	100.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	0.0%	0.0%	0.0%
CNS	Selective Call Forward'g	Special Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	100.0%	100.0%	100.0%	100.0%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	100.0%	100.0%	100.0%	100.0%
CNS		Busy Number Redial	100.0%	100.0%	100.0%	100.0%
CNS		Saved Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Last Number Redial	100.0%	100.0%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	100.0%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS		Cl Fwd'g Fixed-All clls	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Acceptance	100.0%	100.0%	100.0%	100.0%
CNS		Anonymous Call Rejection	100.0%	100.0%	100.0%	100.0%
CNS	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
CNS		Call Restriction Service	100.0%	100.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	100.0%	100.0%	100.0%	100.0%

## SUMMARY FOR MARKET AREA: MONTGOMERY

AL

Total Access Lines in: MONTGOMERY      Total      =      4285

Percentage Availability of ONA Services By Date for MONTGOMERY      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 PKT Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	100.0%	100.0%	100.0%	100.0%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	100.0%	100.0%	100.0%	100.0%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Alert Transport	Alarm Signal	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	100.0%	100.0%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	100.0%	100.0%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	100.0%	100.0%	100.0%	100.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Deliv CLASS	0.0%	0.0%	0.0%	0.0%
BSE	CXR Select On Rvse Chrg	800 Service	100.0%	100.0%	100.0%	100.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	0.0%	0.0%	0.0%	0.0%
BSE	MWI- Activation Audible	MWI Audible	0.0%	0.0%	0.0%	0.0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100.0%	100.0%	100.0%	100.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100.0%	100.0%	100.0%	100.0%
BSE	MLHG - UCD With Queuing	Queuing	100.0%	100.0%	100.0%	100.0%
BSE	Three Way Call Transfer	User Transfer	100.0%	100.0%	100.0%	100.0%
BSE	Remote Call Forwarding	Foreign Exchange	100.0%	100.0%	100.0%	100.0%
BSE	Route Diversity	Diversity Routing	100.0%	100.0%	100.0%	100.0%
BSE	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	100.0%	100.0%	100.0%	100.0%
CNS	Automatic Recall	Automatic Call Return	100.0%	100.0%	100.0%	100.0%

## SUMMARY FOR MARKET AREA: MONTGOMERY

AL

Total Access Lines in: MONTGOMERY      Total      =      4285

Percentage Availability of ONA Services By Date for MONTGOMERY      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
CNS	CFDA Intrswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	100.0%	100.0%	100.0%	100.0%
CNS	CF - Variable	Variable Cl Fwd'g	100.0%	100.0%	100.0%	100.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	0.0%	0.0%	0.0%	0.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Cllg DA Deliv via BCLID	Cllg No.ID Deliv CLASS	0.0%	0.0%	0.0%	0.0%
CNS	Customer Originated Trace	Call Tracing Service	100.0%	100.0%	100.0%	100.0%
CNS	Distinctive Ringing	VIP Alert	100.0%	100.0%	100.0%	100.0%
CNS	Dist Ring Term Screen	Smart Ring	100.0%	100.0%	100.0%	100.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100.0%	100.0%	100.0%	100.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	0.0%	0.0%	0.0%
CNS	Selective Call Forward'g	Special Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	100.0%	100.0%	100.0%	100.0%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	100.0%	100.0%	100.0%	100.0%
CNS		Busy Number Redial	100.0%	100.0%	100.0%	100.0%
CNS		Saved Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Last Number Redial	100.0%	100.0%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	100.0%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS		Cll Frwd'g Fixed-All clls	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.Fixed	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Acceptance	100.0%	100.0%	100.0%	100.0%
CNS		Anonymous Call Rejection	100.0%	100.0%	100.0%	100.0%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
CNS		Call Restriction Service	100.0%	100.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust Controllable Ringing	100.0%	100.0%	100.0%	100.0%

## SUMMARY FOR MARKET AREA: MYRTLE BEACH

SC

Total Access Lines in: MYRTLE BEACH      Total      =      58561

Percentage Availability of ONA Services By Date for MYRTLE BEACH      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	100.0%	100.0%	100.0%	100.0%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	100.0%	100.0%	100.0%	100.0%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	49.4%	49.8%	50.0%	50.2%
BSA	Dedicated Alert Transport	Alarm Signal	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	27.1%	27.6%	27.8%	28.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	0.0%	14.2%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv PG B	Automatic No. ID	0.0%	14.2%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv PG D	Automatic No. ID	0.0%	14.2%	100.0%	100.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	0.0%	14.2%	100.0%	100.0%
BSE	CXR Select On Rvse Chrg	800 Service	0.0%	14.2%	100.0%	100.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	0.0%	14.2%	100.0%	100.0%
BSE	MWI- Activation Audible	MWI Audible	0.0%	14.2%	100.0%	100.0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	0.0%	14.2%	100.0%	100.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	0.0%	14.2%	100.0%	100.0%
BSE	MLHG - UCD With Queuing	Queuing	0.0%	14.2%	100.0%	100.0%
BSE	Three Way Call Transfer	User Transfer	0.0%	14.2%	100.0%	100.0%
BSE	Remote Call Forwarding	Foreign Exchange	0.0%	14.2%	100.0%	100.0%
BSE	Route Diversity	Diversity Routing	0.0%	14.2%	100.0%	100.0%
BSE	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	0.0%	14.2%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	14.2%	100.0%	100.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	0.0%	14.2%	100.0%	100.0%
CNS	Automatic Recall	Automatic Call Return	0.0%	14.2%	100.0%	100.0%

## SUMMARY FOR MARKET AREA: MYRTLE BEACH

SC

Total Access Lines in: MYRTLE BEACH      Total      =      58561

Percentage Availability of ONA Services By Date for MYRTLE BEACH      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrswitch	Call Fwd Bsy Li - Fixed	0.0%	14.2%	100.0%	100.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	0.0%	0.0%	85.7%	85.7%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	0.0%	14.2%	100.0%	100.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	0.0%	14.2%	100.0%	100.0%
CNS	CFDA Intrswitch	Cl Fwd-No Ans-Fixed	0.0%	14.2%	100.0%	100.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	0.0%	14.2%	100.0%	100.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.0%	14.2%	100.0%	100.0%
CNS	CF - Variable	Variable Cl Fwd'g	0.0%	14.2%	100.0%	100.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	0.0%	14.2%	100.0%	100.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	0.0%	14.2%	100.0%	100.0%
CNS	Clbg DA Deliv via BCLID	Clg No.ID Deliv CLASS	0.0%	14.2%	100.0%	100.0%
CNS	Customer Originated Trace	Call Tracing Service	0.0%	14.2%	100.0%	100.0%
CNS	Distinctive Ringing	VIP Alert	0.0%	14.2%	100.0%	100.0%
CNS	Dist Ring Term Screen	Smart Ring	0.0%	14.2%	100.0%	100.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	0.0%	14.2%	100.0%	100.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	14.2%	100.0%	100.0%
CNS	Selective Call Forward'g	Special Call Forwarding	0.0%	14.2%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	0.0%	14.2%	100.0%	100.0%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	0.0%	14.2%	100.0%	100.0%
CNS		Busy Number Redial	0.0%	14.2%	100.0%	100.0%
CNS		Saved Number Redial	0.0%	14.2%	100.0%	100.0%
CNS		Last Number Redial	0.0%	14.2%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	0.0%	14.2%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	0.0%	14.2%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	0.0%	14.2%	100.0%	100.0%
CNS		Clb Frwd'g Fixed-All clls	0.0%	14.2%	100.0%	100.0%
CNS	CFBL/DA	Clb Frwd Bsy No Ans.Fixed	0.0%	14.2%	100.0%	100.0%
CNS		Special Call Waiting	0.0%	14.2%	100.0%	100.0%
CNS		Special Call Acceptance	0.0%	14.2%	100.0%	100.0%
CNS		Anonymous Call Rejection	0.0%	0.0%	85.7%	85.7%
CNS	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	0.0%	14.2%	100.0%	100.0%
CNS		Call Restriction Service	0.0%	14.2%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	14.2%	100.0%	100.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust Controllable Ringing	0.0%	14.2%	100.0%	100.0%

## SUMMARY FOR MARKET AREA: NEW YORK-NEWARK PA

Total Access Lines in: NEW YORK-NEWARK Total = 14682

Percentage Availability of ONA Services By Date for NEW YORK-NEWARK Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	36.0%	36.0%	35.9%	35.9%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	36.0%	36.0%	35.9%	35.9%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Alert Transport	Alarm Signal	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	100.0%	100.0%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv PG B	Automatic No. ID	100.0%	100.0%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv PG D	Automatic No. ID	100.0%	100.0%	100.0%	100.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivly CLASS	0.0%	0.0%	0.0%	0.0%
BSE	CXR Select On Rvse Chrg	800 Service	100.0%	100.0%	100.0%	100.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	0.0%	0.0%	0.0%	0.0%
BSE	MWI- Activation Audible	MWI Audible	0.0%	0.0%	0.0%	0.0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100.0%	100.0%	100.0%	100.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100.0%	100.0%	100.0%	100.0%
BSE	MLHG - UCD With Queuing	Queuing	100.0%	100.0%	100.0%	100.0%
BSE	Three Way Call Transfer	User Transfer	100.0%	100.0%	100.0%	100.0%
BSE	Remote Call Forwarding	Foreign Exchange	100.0%	100.0%	100.0%	100.0%
BSE	Route Diversity	Diversity Routing	100.0%	100.0%	100.0%	100.0%
BSE	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	100.0%	100.0%	100.0%	100.0%
CNS	Automatic Recall	Automatic Call Return	100.0%	100.0%	100.0%	100.0%



## SUMMARY FOR MARKET AREA: NEW YORK-NEWARK PA

Total Access Lines in: NEW YORK-NEWARK Total = 14682

Percentage Availability of ONA Services By Date for NEW YORK-NEWARK Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
CNS	CFDA Intrswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	100.0%	100.0%	100.0%	100.0%
CNS	CF - Variable	Variable Cl Fwd'g	100.0%	100.0%	100.0%	100.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	0.0%	0.0%	0.0%	0.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Clg DA Deliv via BCLID	Clg No.ID Deliv CLASS	0.0%	0.0%	0.0%	0.0%
CNS	Customer Originated Trace	Call Tracing Service	100.0%	100.0%	100.0%	100.0%
CNS	Distinctive Ringing	VIP Alert	100.0%	100.0%	100.0%	100.0%
CNS	Dist Ring Term Screen	Smart Ring	100.0%	100.0%	100.0%	100.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100.0%	100.0%	100.0%	100.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	0.0%	0.0%	0.0%
CNS	Selective Call Forward'g	Special Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	100.0%	100.0%	100.0%	100.0%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	100.0%	100.0%	100.0%	100.0%
CNS		Busy Number Redial	100.0%	100.0%	100.0%	100.0%
CNS		Saved Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Last Number Redial	100.0%	100.0%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	100.0%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS		Cl Fwd'g Fixed-All clls	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Acceptance	100.0%	100.0%	100.0%	100.0%
CNS		Anonymous Call Rejection	100.0%	100.0%	100.0%	100.0%
CNS	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
CNS		Call Restriction Service	100.0%	100.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	100.0%	100.0%	100.0%	100.0%

## SUMMARY FOR MARKET AREA: NORFOLK-VIRGINIA BCH VA

Total Access Lines in: NORFOLK-VIRGINIA BCH Total = 93573

## Percentage Availability of ONA Services By Date for NORFOLK-VIRGINIA BCH Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	95.8%	95.9%	96.0%	96.0%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	74.3%	74.7%	75.2%	75.5%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	40.8%	41.3%	41.9%	42.4%
BSA	Dedicated Alert Transport	Alarm Signal	48.8%	48.1%	47.7%	47.6%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	23.4%	24.2%	24.7%	25.1%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	97.6%	97.7%	97.7%	97.8%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	97.6%	97.7%	97.7%	97.8%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	100.0%	100.0%	100.0%	100.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	88.5%	88.6%	88.7%	88.8%
BSE	CXR Select On Rvse Chrg	800 Service	97.6%	97.7%	97.7%	97.8%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	88.5%	88.6%	88.7%	88.8%
BSE	MWI- Activation Audible	MWI Audible	88.5%	88.6%	88.7%	88.8%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100.0%	100.0%	100.0%	100.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100.0%	100.0%	100.0%	100.0%
BSE	MLHG - UCD With Queuing	Queuing	97.6%	97.7%	97.7%	97.8%
BSE	Three Way Call Transfer	User Transfer	100.0%	100.0%	100.0%	100.0%
BSE	Remote Call Forwarding	Foreign Exchange	100.0%	100.0%	100.0%	100.0%
BSE	Route Diversity	Diversity Routing	97.6%	97.7%	97.7%	97.8%
BSE	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	86.1%	86.3%	86.4%	86.5%
BSE		MegaConnect Svc (SMDS)	55.1%	54.9%	54.7%	54.6%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	100.0%	100.0%	100.0%	100.0%
CNS	Automatic Recall	Automatic Call Return	100.0%	100.0%	100.0%	100.0%

## SUMMARY FOR MARKET AREA: NORFOLK-VIRGINIA BCH VA

Total Access Lines in: NORFOLK-VIRGINIA BCH Total = 93573

## Percentage Availability of ONA Services By Date for NORFOLK-VIRGINIA BCH Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
CNS	CFDA Intrswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	97.6%	97.7%	97.7%	97.8%
CNS	CF - Variable	Variable Cl Fwd'g	100.0%	100.0%	100.0%	100.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	11.5%	11.4%	11.3%	11.2%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	88.5%	88.6%	88.7%	88.8%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Clbg DA Deliv via BCLID	Clg No.ID Deliv CLASS	88.5%	88.6%	88.7%	88.8%
CNS	Customer Originated Trace	Call Tracing Service	100.0%	100.0%	100.0%	100.0%
CNS	Distinctive Ringing	VIP Alert	100.0%	100.0%	100.0%	100.0%
CNS	Dist Ring Term Screen	Smart Ring	100.0%	100.0%	100.0%	100.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100.0%	100.0%	100.0%	100.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	88.5%	88.6%	88.7%	88.8%
CNS	Selective Call Forward'g	Special Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	100.0%	100.0%	100.0%	100.0%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	100.0%	100.0%	100.0%	100.0%
CNS		Busy Number Redial	100.0%	100.0%	100.0%	100.0%
CNS		Saved Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Last Number Redial	100.0%	100.0%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	100.0%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS		Clb Frwd'g Fixed-All clls	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Clb Frwd Bsy No Ans.Fixed	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Acceptance	100.0%	100.0%	100.0%	100.0%
CNS		Anonymous Call Rejection	100.0%	100.0%	100.0%	100.0%
CNS	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
CNS		Call Restriction Service	100.0%	100.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	13.9%	13.7%	13.6%	13.5%

## SUMMARY FOR MARKET AREA: OKLAHOMA CITY

OK

Total Access Lines in: OKLAHOMA CITY      Total      =      11006

Percentage Availability of ONA Services By Date for OKLAHOMA CITY      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	83.5%	83.5%	83.4%	83.2%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	83.5%	83.5%	83.4%	83.2%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Alert Transport	Alarm Signal	94.0%	94.1%	94.1%	94.1%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Ctr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	56.5%	56.6%	91.5%	91.4%
BSE	Cllg Bllg Num Deliv PG B	Automatic No. ID	56.5%	56.6%	91.5%	91.4%
BSE	Cllg Bllg Num Deliv PG D	Automatic No. ID	56.5%	59.2%	94.1%	94.1%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	56.5%	59.2%	94.1%	94.1%
BSE	CXR Select On Rvse Charg	800 Service	56.5%	56.6%	91.5%	91.4%
BSE	Message Desk (SMDI)	Prwd Cl Info-Intraoffice	56.5%	59.2%	94.1%	94.1%
BSE	MWI- Activation Audible	MWI Audible	56.5%	59.2%	94.1%	94.1%
BSE	Multiline Hunt Group	Hunt Group Arrangement	56.5%	59.2%	94.1%	94.1%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	56.5%	59.2%	94.1%	94.1%
BSE	MLHG - UCD With Queuing	Queuing	56.5%	56.6%	91.5%	91.4%
BSE	Three Way Call Transfer	User Transfer	56.5%	59.2%	94.1%	94.1%
BSE	Remote Call Forwarding	Foreign Exchange	56.5%	59.2%	94.1%	94.1%
BSE	Route Diversity	Diversity Routing	56.5%	56.6%	91.5%	91.4%
BSE	3rd No. Bllg Inhibited	Bllg No. Screen'g (BNS)	56.5%	59.2%	94.1%	94.1%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	34.8%	34.7%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	56.5%	59.2%	94.1%	94.1%
CNS	Automatic Recall	Automatic Call Return	56.5%	59.2%	94.1%	94.1%

## SUMMARY FOR MARKET AREA: OKLAHOMA CITY

OK

Total Access Lines in: OKLAHOMA CITY      Total      =      11006

Percentage Availability of ONA Services By Date for OKLAHOMA CITY      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	56.5%	59.2%	94.1%	94.1%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	56.5%	59.2%	59.3%	59.4%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	56.5%	59.2%	94.1%	94.1%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	56.5%	59.2%	94.1%	94.1%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	56.5%	59.2%	94.1%	94.1%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	56.5%	59.2%	94.1%	94.1%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	56.5%	56.6%	91.5%	91.4%
CNS	CF - Variable	Variable Cl Fwd'g	56.5%	59.2%	94.1%	94.1%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	56.5%	59.2%	94.1%	94.1%
CNS	Call Waiting - Cancel	Cancel Call Waiting	56.5%	59.2%	94.1%	94.1%
CNS	Clbg DA Deliv via BCLID	Clg No.ID Deliv CLASS	56.5%	59.2%	94.1%	94.1%
CNS	Customer Originated Trace	Call Tracing Service	56.5%	59.2%	94.1%	94.1%
CNS	Distinctive Ringing	VIP Alert	56.5%	59.2%	94.1%	94.1%
CNS	Dist Ring Term Screen	Smart Ring	56.5%	59.2%	94.1%	94.1%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	56.5%	59.2%	94.1%	94.1%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	2.6%	37.4%	37.3%
CNS	Selective Call Forward'g	Special Call Forwarding	56.5%	59.2%	94.1%	94.1%
CNS	Selective Call Rejection	Call Block	56.5%	59.2%	94.1%	94.1%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	56.5%	59.2%	94.1%	94.1%
CNS		Busy Number Redial	56.5%	59.2%	94.1%	94.1%
CNS		Saved Number Redial	56.5%	56.6%	91.5%	91.4%
CNS		Last Number Redial	56.5%	59.2%	94.1%	94.1%
CNS	Call Waiting	Call Waiting	56.5%	59.2%	94.1%	94.1%
CNS	Three Way Calling	Three Way Calling	56.5%	59.2%	94.1%	94.1%
CNS	Remote Call Forwarding	Remote Call Forwarding	56.5%	59.2%	94.1%	94.1%
CNS		Cl Fwd'g Fixed-All clls	56.5%	59.2%	94.1%	94.1%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	56.5%	59.2%	94.1%	94.1%
CNS		Special Call Waiting	56.5%	59.2%	94.1%	94.1%
CNS		Special Call Acceptance	56.5%	59.2%	94.1%	94.1%
CNS		Anonymous Call Rejection	0.0%	2.6%	2.6%	2.6%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	56.5%	59.2%	94.1%	94.1%
CNS		Call Restriction Service	56.5%	59.2%	94.1%	94.1%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	34.8%	34.7%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	56.5%	59.2%	94.1%	94.1%

## SUMMARY FOR MARKET AREA: OMAHA

NE

Total Access Lines in: OMAHA                      Total                      =                      1977

Percentage Availability of ONA Services By Date for OMAHA                      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	53.6%	53.6%	53.5%	53.5%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	53.6%	53.6%	53.5%	53.5%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Alert Transport	Alarm Signal	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	0.0%	0.0%	0.0%	0.0%
BSE	Clbg Bllg Num Deliv FG B	Automatic No. ID	0.0%	0.0%	0.0%	0.0%
BSE	Clbg Bllg Num Deliv FG D	Automatic No. ID	53.6%	100.0%	100.0%	100.0%
BSE	Clbg DA Deliv via BCLID	Clg No.ID Deliv CLASS	53.6%	100.0%	100.0%	100.0%
BSE	CXR Select On Rvse Chrg	800 Service	0.0%	0.0%	0.0%	0.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	53.6%	100.0%	100.0%	100.0%
BSE	MWI- Activation Audible	MWI Audible	53.6%	100.0%	100.0%	100.0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	53.6%	100.0%	100.0%	100.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	53.6%	100.0%	100.0%	100.0%
BSE	MLHG - UCD With Queuing	Queuing	0.0%	0.0%	0.0%	0.0%
BSE	Three Way Call Transfer	User Transfer	53.6%	100.0%	100.0%	100.0%
BSE	Remote Call Forwarding	Foreign Exchange	53.6%	100.0%	100.0%	100.0%
BSE	Route Diversity	Diversity Routing	0.0%	0.0%	0.0%	0.0%
BSE	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	53.6%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	53.6%	100.0%	100.0%	100.0%
CNS	Automatic Recall	Automatic Call Return	53.6%	100.0%	100.0%	100.0%

## SUMMARY FOR MARKET AREA: OMAHA

NE

Total Access Lines in: OMAHA                      Total                      =                      1977

## Percentage Availability of ONA Services By Date for OMAHA                      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	53.6%	100.0%	100.0%	100.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	53.6%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	53.6%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	53.6%	100.0%	100.0%	100.0%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	53.6%	53.6%	53.5%	53.5%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	53.6%	100.0%	100.0%	100.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.0%	0.0%	0.0%	0.0%
CNS	CF - Variable	Variable Cl Fwd'g	53.6%	100.0%	100.0%	100.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	53.6%	100.0%	100.0%	100.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	53.6%	100.0%	100.0%	100.0%
CNS	Clig DA Deliv via BCLID	Clg No.ID Deliv CLASS	53.6%	100.0%	100.0%	100.0%
CNS	Customer Originated Trace	Call Tracing Service	53.6%	100.0%	100.0%	100.0%
CNS	Distinctive Ringing	VIP Alert	53.6%	100.0%	100.0%	100.0%
CNS	Dist Ring Term Screen	Smart Ring	53.6%	100.0%	100.0%	100.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	53.6%	100.0%	100.0%	100.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	53.6%	100.0%	100.0%	100.0%
CNS	Selective Call Forward'g	Special Call Forwarding	53.6%	100.0%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	53.6%	100.0%	100.0%	100.0%
CNS	Speed Calling	Speed Clig - 8 & 30 Nos.	53.6%	100.0%	100.0%	100.0%
CNS		Busy Number Redial	53.6%	100.0%	100.0%	100.0%
CNS		Saved Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Last Number Redial	53.6%	100.0%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	53.6%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	53.6%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	53.6%	100.0%	100.0%	100.0%
CNS		Cl Fwd'g Fixed-All clls	53.6%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	53.6%	100.0%	100.0%	100.0%
CNS		Special Call Waiting	53.6%	100.0%	100.0%	100.0%
CNS		Special Call Acceptance	53.6%	100.0%	100.0%	100.0%
CNS		Anonymous Call Rejection	53.6%	53.6%	53.5%	53.5%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	53.6%	100.0%	100.0%	100.0%
CNS		Call Restriction Service	53.6%	100.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	53.6%	100.0%	100.0%	100.0%

## SUMMARY FOR MARKET AREA: ORANGE COUNTY

CA

Total Access Lines in: ORANGE COUNTY      Total      =      292628

Percentage Availability of ONA Services By Date for ORANGE COUNTY      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	50.8%	50.9%	51.0%	51.1%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	50.8%	50.9%	51.0%	51.1%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	100.0%	100.0%	100.0%	100.0%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	100.0%	100.0%	100.0%	100.0%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	90.9%	90.9%	90.8%	90.8%
BSA	Dedicated Alert Transport	Alarm Signal	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	88.9%	88.8%	88.7%	88.6%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	50.8%	50.9%	51.0%	51.1%
BSE	Fast Select Request Pkt	Fast Select	50.8%	50.9%	51.0%	51.1%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	39.6%	68.0%	68.1%	68.1%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	39.6%	68.0%	68.1%	68.1%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	39.6%	68.0%	68.1%	68.1%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	39.6%	68.0%	68.1%	68.1%
BSE	CXR Select On Rvse Chrg	800 Service	39.6%	68.0%	68.1%	68.1%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	39.6%	68.0%	68.1%	68.1%
BSE	MWI- Activation Audible	MWI Audible	39.6%	68.0%	68.1%	68.1%
BSE	Multiline Hunt Group	Hunt Group Arrangement	39.6%	68.0%	68.1%	68.1%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	39.6%	68.0%	68.1%	68.1%
BSE	MLHG - UCD With Queuing	Queuing	39.6%	68.0%	68.1%	68.1%
BSE	Three Way Call Transfer	User Transfer	39.6%	68.0%	68.1%	68.1%
BSE	Remote Call Forwarding	Foreign Exchange	39.6%	68.0%	68.1%	68.1%
BSE	Route Diversity	Diversity Routing	39.6%	68.0%	68.1%	68.1%
BSE	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	39.6%	68.0%	68.1%	68.1%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	9.1%	9.1%	9.2%	9.2%
BSE		MegaConnect Svc (SMDS)	47.5%	47.5%	47.6%	47.6%
BSE		MWI Actvtn Audbl Rng Brst	30.5%	58.9%	58.9%	58.9%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	50.8%	50.9%	51.0%	51.1%
CNS	Fast Select Accept Pkt	Fast Select	50.8%	50.9%	51.0%	51.1%
CNS	Fast Select Request Pkt	Fast Select	50.8%	50.9%	51.0%	51.1%
CNS	Derived Ch (Monitoring)	ScanAlert	70.6%	70.6%	70.6%	70.6%
CNS	Automatic Callback	Automatic Busy Redial	39.6%	68.0%	68.1%	68.1%
CNS	Automatic Recall	Automatic Call Return	39.6%	68.0%	68.1%	68.1%



## SUMMARY FOR MARKET AREA: ORANGE COUNTY

CA

Total Access Lines in: ORANGE COUNTY      Total      =      292628

Percentage Availability of ONA Services By Date for ORANGE COUNTY      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrswitch	Call Fwd Bsy Li - Fixed	39.6%	68.0%	68.1%	68.1%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	9.1%	37.4%	37.4%	37.4%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	39.6%	68.0%	68.1%	68.1%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	39.6%	68.0%	68.1%	68.1%
CNS	CFDA Intrswitch	Cl Fwd-No Ans-Fixed	39.6%	68.0%	68.1%	68.1%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	39.6%	68.0%	68.1%	68.1%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	39.6%	68.0%	68.1%	68.1%
CNS	CF - Variable	Variable Cl Fwd'g	39.6%	68.0%	68.1%	68.1%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	9.1%	9.1%	9.2%	9.2%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	39.6%	68.0%	68.1%	68.1%
CNS	Call Waiting - Cancel	Cancel Call Waiting	39.6%	68.0%	68.1%	68.1%
CNS	Clig DA Deliv via BCLID	Clg No.ID Deliv CLASS	39.6%	68.0%	68.1%	68.1%
CNS	Customer Originated Trace	Call Tracing Service	39.6%	68.0%	68.1%	68.1%
CNS	Distinctive Ringing	VIP Alert	39.6%	68.0%	68.1%	68.1%
CNS	Dist Ring Term Screen	Smart Ring	39.6%	68.0%	68.1%	68.1%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	39.6%	68.0%	68.1%	68.1%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	39.6%	68.0%	68.1%	68.1%
CNS	Selective Call Forward'g	Special Call Forwarding	39.6%	68.0%	68.1%	68.1%
CNS	Selective Call Rejection	Call Block	39.6%	68.0%	68.1%	68.1%
CNS	Speed Calling	Speed Clig - 8 & 30 Nos.	39.6%	68.0%	68.1%	68.1%
CNS		Busy Number Redial	39.6%	68.0%	68.1%	68.1%
CNS		Saved Number Redial	30.5%	58.9%	58.9%	58.9%
CNS		Last Number Redial	39.6%	68.0%	68.1%	68.1%
CNS	Call Waiting	Call Waiting	39.6%	68.0%	68.1%	68.1%
CNS	Three Way Calling	Three Way Calling	39.6%	68.0%	68.1%	68.1%
CNS	Remote Call Forwarding	Remote Call Forwarding	39.6%	68.0%	68.1%	68.1%
CNS		Cl Fwd'g Fixed-All clls	39.6%	68.0%	68.1%	68.1%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	39.6%	68.0%	68.1%	68.1%
CNS		Special Call Waiting	30.5%	58.9%	58.9%	58.9%
CNS		Special Call Acceptance	30.5%	58.9%	58.9%	58.9%
CNS		Anonymous Call Rejection	0.0%	28.3%	28.2%	28.2%
CNS	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	39.6%	68.0%	68.1%	68.1%
CNS		Call Restriction Service	39.6%	68.0%	68.1%	68.1%
CNS		MWI Abl Rcv Adbl Rng Brst	30.5%	58.9%	58.9%	58.9%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	39.6%	68.0%	68.1%	68.1%

## SUMMARY FOR MARKET AREA: PARKERSBURG

OH

Total Access Lines in: PARKERSBURG      Total      =      5558

Percentage Availability of ONA Services By Date for PARKERSBURG      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 PKT Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	75.5%	75.8%	75.9%	76.1%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	38.3%	38.0%	37.7%	37.5%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Alert Transport	Alarm Signal	111.4%	111.5%	111.5%	111.6%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	0.0%	0.0%	0.0%	0.0%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	0.0%	0.0%	0.0%	0.0%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	0.0%	0.0%	0.0%	0.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	0.0%	0.0%	0.0%	0.0%
BSE	CXR Select On Rvse Chrg	800 Service	0.0%	0.0%	0.0%	0.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	0.0%	0.0%	0.0%	0.0%
BSE	MWI- Activation Audible	MWI Audible	0.0%	0.0%	0.0%	0.0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	0.0%	0.0%	0.0%	0.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	0.0%	0.0%	0.0%	0.0%
BSE	MLHG - UCD With Queuing	Queuing	0.0%	0.0%	0.0%	0.0%
BSE	Three Way Call Transfer	User Transfer	0.0%	0.0%	0.0%	0.0%
BSE	Remote Call Forwarding	Foreign Exchange	0.0%	0.0%	0.0%	0.0%
BSE	Route Diversity	Diversity Routing	0.0%	0.0%	0.0%	0.0%
BSE	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	0.0%	0.0%	0.0%	0.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Recall	Automatic Call Return	0.0%	0.0%	0.0%	0.0%

## SUMMARY FOR MARKET AREA: PARKERSBURG

OH

Total Access Lines in: PARKERSBURG      Total      =      5558

Percentage Availability of ONA Services By Date for PARKERSBURG      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	0.0%	0.0%	0.0%	0.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	0.0%	0.0%	0.0%	0.0%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.0%	0.0%	0.0%	0.0%
CNS	CF - Variable	Variable Cl Fwd'g	0.0%	0.0%	0.0%	0.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	0.0%	0.0%	0.0%	0.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	0.0%	0.0%	0.0%	0.0%
CNS	Clg DA Deliv via BCLID	Clg No.ID Delivv CLASS	0.0%	0.0%	0.0%	0.0%
CNS	Customer Originated Trace	Call Tracing Service	0.0%	0.0%	0.0%	0.0%
CNS	Distinctive Ringing	VIP Alert	0.0%	0.0%	0.0%	0.0%
CNS	Dist Ring Term Screen	Smart Ring	0.0%	0.0%	0.0%	0.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	0.0%	0.0%	0.0%	0.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	0.0%	0.0%	0.0%
CNS	Selective Call Forward'g	Special Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	Selective Call Rejection	Call Block	0.0%	0.0%	0.0%	0.0%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	0.0%	0.0%	0.0%	0.0%
CNS		Busy Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Saved Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Last Number Redial	0.0%	0.0%	0.0%	0.0%
CNS	Call Waiting	Call Waiting	0.0%	0.0%	0.0%	0.0%
CNS	Three Way Calling	Three Way Calling	0.0%	0.0%	0.0%	0.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS		Cl Fwd'g Fixed-All clls	0.0%	0.0%	0.0%	0.0%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	0.0%	0.0%	0.0%	0.0%
CNS		Special Call Waiting	0.0%	0.0%	0.0%	0.0%
CNS		Special Call Acceptance	0.0%	0.0%	0.0%	0.0%
CNS		Anonymous Call Rejection	0.0%	0.0%	0.0%	0.0%
CNS	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	0.0%	0.0%	0.0%	0.0%
CNS		Call Restriction Service	0.0%	0.0%	0.0%	0.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust Controllable Ringing	0.0%	0.0%	0.0%	0.0%

## SUMMARY FOR MARKET AREA: PEORIA

IL

Total Access Lines in: PEORIA Total = 42712

Percentage Availability of ONA Services By Date for PEORIA Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	2.4%	2.4%	2.4%	2.4%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	2.4%	2.4%	2.4%	2.4%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	82.2%	82.3%	82.4%	82.5%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	60.8%	60.9%	61.1%	61.2%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	19.9%	20.1%	20.4%	20.6%
BSA	Dedicated Alert Transport	Alarm Signal	58.2%	58.3%	58.5%	58.7%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	2.4%	2.4%	2.4%	2.4%
BSE	Fast Select Request Pkt	Fast Select	2.4%	2.4%	2.4%	2.4%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	53.5%	76.9%	77.0%	77.1%
BSE	Cllg Bllg Num Deliv PG B	Automatic No. ID	53.5%	76.9%	77.0%	77.1%
BSE	Cllg Bllg Num Deliv PG D	Automatic No. ID	53.5%	65.2%	65.3%	65.4%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Deliv CLASS	53.5%	65.2%	65.3%	65.4%
BSE	CXR Select On Rvse Chrg	800 Service	53.5%	76.9%	77.0%	77.1%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	53.5%	65.2%	65.3%	65.4%
BSE	MWI- Activation Audible	MWI Audible	46.9%	56.9%	57.1%	57.3%
BSE	Multiline Hunt Group	Hunt Group Arrangement	53.5%	76.9%	77.0%	77.1%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	53.5%	65.2%	65.3%	65.4%
BSE	MLHG - UCD With Queuing	Queuing	53.5%	65.2%	65.3%	65.4%
BSE	Three Way Call Transfer	User Transfer	53.5%	65.2%	65.3%	65.4%
BSE	Remote Call Forwarding	Foreign Exchange	53.5%	76.9%	77.0%	77.1%
BSE	Route Diversity	Diversity Routing	53.5%	76.9%	77.0%	77.1%
BSE	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	53.5%	76.9%	77.0%	77.1%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	27.3%	27.5%	27.8%	27.9%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	9.8%	9.8%	9.8%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	2.4%	2.4%	2.4%	2.4%
CNS	Fast Select Accept Pkt	Fast Select	2.4%	2.4%	2.4%	2.4%
CNS	Fast Select Request Pkt	Fast Select	2.4%	2.4%	2.4%	2.4%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	53.5%	65.2%	65.3%	65.4%
CNS	Automatic Recall	Automatic Call Return	53.5%	65.2%	65.3%	65.4%

## SUMMARY FOR MARKET AREA: PEORIA

IL

Total Access Lines in: PEORIA                      Total                      =                      42712

## Percentage Availability of ONA Services By Date for PEORIA                      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrastwitch	Call Fwd Bsy Li - Fixed	53.5%	76.9%	77.0%	77.1%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	53.5%	67.1%	67.2%	67.3%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	46.9%	68.7%	68.9%	69.1%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	53.5%	76.9%	77.0%	77.1%
CNS	CFDA Intrastwitch	Cl Fwd-No Ans-Fixed	53.5%	76.9%	77.0%	77.1%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	53.5%	76.9%	77.0%	77.1%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	53.5%	65.2%	65.3%	65.4%
CNS	CF - Variable	Variable Cl Fwd'g	53.5%	76.9%	77.0%	77.1%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	24.8%	25.1%	25.4%	25.5%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	46.9%	56.9%	57.1%	57.3%
CNS	Call Waiting - Cancel	Cancel Call Waiting	53.5%	76.9%	77.0%	77.1%
CNS	Clg DA Deliv via BCLID	Clg No.ID Deliv CLASS	46.9%	58.6%	58.8%	59.0%
CNS	Customer Originated Trace	Call Tracing Service	53.5%	65.2%	65.3%	65.4%
CNS	Distinctive Ringing	VIP Alert	53.5%	65.2%	65.3%	65.4%
CNS	Dist Ring Term Screen	Smart Ring	53.5%	76.9%	77.0%	77.1%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	53.5%	76.9%	77.0%	77.1%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	27.3%	37.3%	37.6%	37.8%
CNS	Selective Call Forward'g	Special Call Forwarding	53.5%	65.2%	65.3%	65.4%
CNS	Selective Call Rejection	Call Block	53.5%	65.2%	65.3%	65.4%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	53.5%	76.9%	77.0%	77.1%
CNS		Busy Number Redial	53.5%	65.2%	65.3%	65.4%
CNS		Saved Number Redial	26.2%	37.7%	37.6%	37.5%
CNS		Last Number Redial	53.5%	65.2%	65.3%	65.4%
CNS	Call Waiting	Call Waiting	53.5%	76.9%	77.0%	77.1%
CNS	Three Way Calling	Three Way Calling	53.5%	76.9%	77.0%	77.1%
CNS	Remote Call Forwarding	Remote Call Forwarding	53.5%	76.9%	77.0%	77.1%
CNS		Cl Fwd'g Fixed-All clls	53.5%	76.9%	77.0%	77.1%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	53.5%	76.9%	77.0%	77.1%
CNS		Special Call Waiting	28.7%	40.1%	40.0%	39.9%
CNS		Special Call Acceptance	28.7%	40.1%	40.0%	39.9%
CNS		Anonymous Call Rejection	2.4%	2.4%	2.4%	2.4%
CNS	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	53.5%	76.9%	77.0%	77.1%
CNS		Call Restriction Service	53.5%	76.9%	77.0%	77.1%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	9.8%	9.8%	9.8%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	51.1%	62.8%	62.9%	63.0%

## SUMMARY FOR MARKET AREA: PITTSBURGH

PA

Total Access Lines in: PITTSBURGH      Total      =      9757

## Percentage Availability of ONA Services By Date for PITTSBURGH      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	78.2%	78.1%	78.0%	77.9%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	56.1%	56.0%	56.0%	55.8%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Alert Transport	Alarm Signal	56.1%	56.0%	56.0%	55.8%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	17.2%	17.3%	87.6%	87.5%
BSE	Cllg Bllg Num Deliv PG B	Automatic No. ID	17.2%	17.3%	87.6%	87.5%
BSE	Cllg Bllg Num Deliv PG D	Automatic No. ID	17.2%	17.3%	87.6%	87.5%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Deliv CLASS	17.2%	17.3%	87.6%	87.5%
BSE	CXR Select On Rvse Charg	800 Service	17.2%	17.3%	87.6%	87.5%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	17.2%	17.3%	87.6%	87.5%
BSE	MWI- Activation Audible	MWI Audible	17.2%	17.3%	87.6%	87.5%
BSE	Multiline Hunt Group	Hunt Group Arrangement	17.2%	17.3%	87.6%	87.5%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	17.2%	17.3%	87.6%	87.5%
BSE	MLHG - UCD With Queuing	Queuing	17.2%	17.3%	87.6%	87.5%
BSE	Three Way Call Transfer	User Transfer	17.2%	17.3%	87.6%	87.5%
BSE	Remote Call Forwarding	Foreign Exchange	17.2%	17.3%	87.6%	87.5%
BSE	Route Diversity	Diversity Routing	17.2%	17.3%	87.6%	87.5%
BSE	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	17.2%	17.3%	87.6%	87.5%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	17.2%	17.3%	17.3%	17.4%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	70.3%	70.1%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	17.2%	17.3%	87.6%	87.5%
CNS	Automatic Recall	Automatic Call Return	17.2%	17.3%	87.6%	87.5%

## SUMMARY FOR MARKET AREA: PITTSBURGH

PA

Total Access Lines in: PITTSBURGH      Total      =      9757

Percentage Availability of ONA Services By Date for PITTSBURGH      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	17.2%	17.3%	87.6%	87.5%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	17.2%	17.3%	17.3%	17.4%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	17.2%	17.3%	87.6%	87.5%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	17.2%	17.3%	87.6%	87.5%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	17.2%	17.3%	87.6%	87.5%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	17.2%	17.3%	87.6%	87.5%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	17.2%	17.3%	87.6%	87.5%
CNS	CF - Variable	Variable Cl Fwd'g	17.2%	17.3%	87.6%	87.5%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	17.2%	17.3%	87.6%	87.5%
CNS	Call Waiting - Cancel	Cancel Call Waiting	17.2%	17.3%	87.6%	87.5%
CNS	Clg DA Deliv via BCLID	Clg No.ID Delivv CLASS	17.2%	17.3%	87.6%	87.5%
CNS	Customer Originated Trace	Call Tracing Service	17.2%	17.3%	87.6%	87.5%
CNS	Distinctive Ringing	VIP Alert	17.2%	17.3%	87.6%	87.5%
CNS	Dist Ring Term Screen	Smart Ring	17.2%	17.3%	87.6%	87.5%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	17.2%	17.3%	87.6%	87.5%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	17.2%	17.3%	87.6%	87.5%
CNS	Selective Call Forward'g	Special Call Forwarding	17.2%	17.3%	87.6%	87.5%
CNS	Selective Call Rejection	Call Block	17.2%	17.3%	87.6%	87.5%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	17.2%	17.3%	87.6%	87.5%
CNS		Busy Number Redial	17.2%	17.3%	87.6%	87.5%
CNS		Saved Number Redial	0.0%	0.0%	70.3%	70.1%
CNS		Last Number Redial	17.2%	17.3%	87.6%	87.5%
CNS	Call Waiting	Call Waiting	17.2%	17.3%	87.6%	87.5%
CNS	Three Way Calling	Three Way Calling	17.2%	17.3%	87.6%	87.5%
CNS	Remote Call Forwarding	Remote Call Forwarding	17.2%	17.3%	87.6%	87.5%
CNS		Cl Fwd'g Fixed-All clls	17.2%	17.3%	87.6%	87.5%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	17.2%	17.3%	87.6%	87.5%
CNS		Special Call Waiting	17.2%	17.3%	87.6%	87.5%
CNS		Special Call Acceptance	17.2%	17.3%	87.6%	87.5%
CNS		Anonymous Call Rejection	17.2%	17.3%	17.3%	17.4%
CNS	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	17.2%	17.3%	87.6%	87.5%
CNS		Call Restriction Service	17.2%	17.3%	87.6%	87.5%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	70.3%	70.1%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	0.0%	0.0%	70.3%	70.1%

## SUMMARY FOR MARKET AREA: PORTLAND-VANCOUVER OR

Total Access Lines in: PORTLAND-VANCOUVER Total = 315766

## Percentage Availability of ONA Services By Date for PORTLAND-VANCOUVER Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	88.7%	88.6%	88.5%	88.4%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	88.7%	88.6%	88.5%	88.4%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	99.2%	99.2%	99.2%	99.2%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	89.6%	89.6%	89.6%	89.6%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	84.3%	84.4%	84.5%	84.5%
BSA	Dedicated Alert Transport	Alarm Signal	80.4%	80.5%	80.6%	80.6%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	46.6%	46.8%	46.8%	46.9%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSB	Fast Select Accept Pkt	Fast Select	88.7%	88.6%	88.5%	88.4%
BSB	Fast Select Request Pkt	Fast Select	88.7%	88.6%	88.5%	88.4%
BSB	Acc To Ctr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSB	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSB	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSB	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSB	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSB	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSB	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSB	Cld DN Deliv via DID	Direct Inward Dialing	38.0%	64.4%	93.9%	94.0%
BSB	Cllg Bllg Num Deliv FG B	Automatic No. ID	37.6%	64.0%	93.5%	93.6%
BSB	Cllg Bllg Num Deliv FG D	Automatic No. ID	39.3%	65.7%	95.2%	95.3%
BSB	Cllg DA Deliv via BCLID	Clg No.ID Deliv CLASS	38.7%	65.0%	93.1%	93.1%
BSB	CXR Select On Rvse Chrg	800 Service	38.0%	64.4%	93.9%	94.0%
BSB	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	38.7%	65.0%	93.1%	93.1%
BSB	MWI- Activation Audible	MWI Audible	38.7%	65.0%	93.1%	93.1%
BSB	Multiline Hunt Group	Hunt Group Arrangement	43.8%	70.2%	99.6%	99.6%
BSB	MLHG-UCD Line Hunting	Uniform Call Distribution	39.7%	66.0%	94.1%	94.1%
BSB	MLHG - UCD With Queuing	Queuing	33.9%	60.3%	88.4%	88.5%
BSB	Three Way Call Transfer	User Transfer	35.7%	62.0%	90.1%	90.2%
BSB	Remote Call Forwarding	Foreign Exchange	43.4%	69.7%	99.2%	99.2%
BSB	Route Diversity	Diversity Routing	38.0%	64.4%	93.9%	94.0%
BSB	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	42.8%	69.2%	98.6%	98.6%
BSB	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSB	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSB		Prior Pkt Sw'd Ntw Suppl	33.9%	34.8%	35.1%	35.4%
BSB		MegaConnect Svc (SMDS)	71.1%	71.2%	71.2%	71.2%
BSB		MWI Actvtn Audbl Rng Brst	0.0%	25.5%	53.3%	53.1%
BSB	Hi Cap Hand-Off Svc	Controllink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	88.7%	88.6%	88.5%	88.4%
CNS	Fast Select Accept Pkt	Fast Select	88.7%	88.6%	88.5%	88.4%
CNS	Fast Select Request Pkt	Fast Select	88.7%	88.6%	88.5%	88.4%
CNS	Derived Ch (Monitoring)	ScanAlert	80.9%	81.1%	81.3%	81.5%
CNS	Automatic Callback	Automatic Busy Redial	38.7%	65.0%	93.1%	93.1%
CNS	Automatic Recall	Automatic Call Return	38.7%	65.0%	93.1%	93.1%



## SUMMARY FOR MARKET AREA: PORTLAND-VANCOUVER OR

Total Access Lines in: PORTLAND-VANCOUVER Total = 315766

Percentage Availability of ONA Services By Date for PORTLAND-VANCOUVER Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrastwitch	Call Fwd Bsy Li - Fixed	42.4%	68.7%	98.2%	98.2%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	43.4%	44.3%	73.9%	74.0%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	42.4%	68.7%	98.2%	98.2%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	42.4%	68.7%	98.2%	98.2%
CNS	CFDA Intrastwitch	Cl Fwd-No Ans-Fixed	42.4%	68.7%	98.2%	98.2%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	43.4%	69.7%	99.2%	99.2%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	33.9%	60.3%	88.4%	88.5%
CNS	CF - Variable	Variable Cl Fwd'g	43.8%	70.2%	99.6%	99.6%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	30.7%	31.6%	31.8%	32.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	38.7%	65.0%	93.1%	93.1%
CNS	Call Waiting - Cancel	Cancel Call Waiting	39.7%	66.0%	94.1%	94.1%
CNS	Clig DA Deliv via BCLID	Clg No.ID Deliv CLASS	38.7%	65.0%	93.1%	93.1%
CNS	Customer Originated Trace	Call Tracing Service	38.7%	65.0%	93.1%	93.1%
CNS	Distinctive Ringing	VIP Alert	38.7%	65.0%	93.1%	93.1%
CNS	Dist Ring Term Screen	Smart Ring	39.7%	66.0%	94.1%	94.1%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	43.8%	70.2%	99.6%	99.6%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	38.7%	65.0%	93.1%	93.1%
CNS	Selective Call Forward'g	Special Call Forwarding	38.7%	65.0%	93.1%	93.1%
CNS	Selective Call Rejection	Call Block	38.7%	65.0%	93.1%	93.1%
CNS	Speed Calling	Speed Clig - 8 & 30 Nos.	43.8%	70.2%	99.6%	99.6%
CNS		Busy Number Redial	38.7%	65.0%	93.1%	93.1%
CNS		Saved Number Redial	0.0%	25.5%	53.3%	53.1%
CNS		Last Number Redial	38.7%	65.0%	93.1%	93.1%
CNS	Call Waiting	Call Waiting	43.8%	70.2%	99.6%	99.6%
CNS	Three Way Calling	Three Way Calling	43.8%	70.2%	99.6%	99.6%
CNS	Remote Call Forwarding	Remote Call Forwarding	42.4%	68.7%	98.2%	98.2%
CNS		Cl Fwd'g Fixed-All clls	43.8%	70.2%	99.6%	99.6%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	43.4%	69.7%	99.2%	99.2%
CNS		Special Call Waiting	8.5%	33.9%	61.7%	61.5%
CNS		Special Call Acceptance	8.5%	33.9%	61.7%	61.5%
CNS		Anonymous Call Rejection	4.4%	4.5%	32.5%	32.4%
CNS	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	42.8%	69.2%	98.6%	98.6%
CNS		Call Restriction Service	43.8%	70.2%	99.6%	99.6%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	25.5%	53.3%	53.1%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	35.0%	61.3%	89.4%	89.3%